

Refer. No.: 2025

Date: - 01/02/2025

To,

Attn. :-

# Subject: Introduction cum vendor registration with company profile

Dear Sir,

We would like to take this opportunity to introduce **M/S. Sensewell Calibration Services LLP.** 

**Sensewell Calibration Services LLP** established in 2016 with the main objectives of calibration of Electro-Technical, Thermal, Dimension, Pressure, **meeting to stringent National & International Standards** and we are now one of the fastest growing companies in the field of **Calibration**.

#### Our company is a joint venture of

### M/S D.N.ENGINEERING SERVICES and M/S SENSEWELL INSTRUMENTS PVT. LTD.

**M/S D.N.Engineering Services** is leading instrumentation contractor for Erection, Automation, installation & commissioning of process plant.

**M/S Sensewell Instrumentation Pvt. Ltd.** is leading manufacturer of process control instruments like Temperature Sensor, Level Sensor, Level Gauge and providing custom built Heating Systems, Industrial Oven and Furnaces & Automation.

We are herewith enclosing our service list for your ready perusal.

We are looking forward for your valued inquiry.

Thanking you once again & assuring our best services & prompt attention at all times.

### **COMPANY PROFILE**

NAME	: SENSEWELL CALIBRATION SERVICES LLP		
Address	: 93 A-2&3 , GIDC Industrial Estate,		
	Makarpura, Vadodara –390010, GUJARAT, INDIA.		
PHONE	: 9023762438, 9023756011		
Web Site & E-mail: WWW.SENSEWELLCALIBRATION.COM, sensewellcal@gmail.com			
CONSTIT	UTION: CALIBRATION SERVICES		

# SENSEWELL CALIBRATION SERVICES LLP.

SENSEWELL CALIBRATION SERVICES LLP

CC-4243

93, A-2/3, Jayant Oil Mill Road, Opp. Manjalpur Police Station, GIDC Makarpura ,Vadodara, Gujarat 390010. email : sensewellcal@gmail.com website : www.sensewellcalibration.com Mob.: 9023762438 / 9023756011

TEMPERATURE / PRESSURE / MECHANICAL / ELECTRICAL & ELECTRONICS INSTRUMENTS

#### **SCOPE OF CALIBRATION**

THERMAL				
INSTRUMENT NAME	RANGE			
T/C and RTD Sensors & Temperature Transmitter with Sensor	-196 to 1200 ° C			
Temperature bath	-45 to 1200° C			
Data logger	10 to 50 ° C & 25 to 85 % RH			
Hygrometer	10 to 50 ° C & 25 to 85 % RH			
Infra Red Gun/ Thermometer	35 to 500° C			
Glass Thermometer	50 to 200° C			
Oil bath / Water bath	Amb. to 350°C / Amb. to 100°C			
Temperature indicators with sensors/controlle r	-196 to 1200 ° C			
Thermal Mapping	-80 to 1050 ° C			
On Site Instruments	-45 to 1200 ° C			

ELECT. TECH					
INSTRUMENT	RAI	RANGE			
NAME					
	Source-	Measure –			
	330 mV, 1000	100 mV, 1000			
Digital	V AC/DC,	V AC/DC			
Multimeter	330 µA, 330	100 µA, 400			
Tong Tester /	mA	mA AC/DC			
Clamp-Clip on	AC/DC,	10 A AC/DC,1 Ω			
Meter	20 A AC/DC	to 1 GΩ			
Multi Function	1 Ω to 1 GΩ,	1 nF to 100 mF			
Calibrators	220 pF to	(RTD PT-100			
	110mF	Ω)			
		All T/C Range			
Ene an en Meter	Source:- Up	Source:- Up to 1000 kHz,			
Frequency Meter	Measure:- Up to 100 kHz				
Analog/Digital	330 mV AC/DC, 1000 V AC/DC				
Ampere /Volt	330 μA AC/DC, 330 mA AC/DC				
meter	20 A AC/DC				
RTD / TC test kit	Up to 1200 ° C				
/Simulator					
Earth Tester ,	10 Ω to 11.1111111 GΩ				
<b>Insulation Tester</b>	(5000 V DC)				
	0 - 30 min				
Stop Watch	0-24 Hrs.				
Phase Sequence					
Meter					
Temp.					
Transmitter/	- 50 to 1200 ° C				
Recorder/	- 50 to 1200 C				
Scanner					
PH Meter	4 - 7- 9 PH				
	T - / - / I II				
Conductivity	Micro/ mili Siemens				
Meter	,				
ORP Meter	86,263,475 mv				
TDS Meter	300 ppm				

SENSEWELL CALIBRATION SERVICES LLP



93, A-2/3, Jayant Oil Mill Road, Opp. Manjalpur Police Station, GIDC Makarpura ,Vadodara, Gujarat 390010. email : sensewellcal@gmail.com website : www.sensewellcalibration.com Mob.: 9023762438 / 9023756011

TEMPERATURE / PRESSURE / MECHANICAL / ELECTRICAL & ELECTRONICS INSTRUMENTS

## **SCOPE OF CALIBRATION**

DIMENSION			
INSTRUMENT NAME	RANGE		
External Micrometer	Up to 1000 mm		
Internal Micrometer	Up to 1000 mm		
Calipers (Vernier / Dial / Digital)	0 to 1000 mm		
Depth Caliper (Vernier / Dial / Digital)	0 to 300 mm		
Depth Micrometer	Up to 300 mm		
Height Gauge (Vernier / Dial / Digital)	0 to 1000 mm		
Inside dial caliper (Groove Caliper)	20 to 50 mm		
Outside dial caliper (Pistol Caliper)	0 to 50 mm		
Plunger Dial Gauge	Up to 25 mm		
Lever Dial Gauge	Up to 1 mm		
Bore Dial Gauge	1.0 mm throw		
Feeler Gauge	0-1 mm		
Plain Plug / Ring Gauge	Up to 225 mm		
Thread Plug / Ring Gauge	Up to 100 mm		
Bevel Protractor / Combination Set	0° - 90° ( 4- Quadra) 0° - 180°		
Ultrasonic Thickness Gauge	1-100 mm		

WEIGHT & BALANCE				
INSTRUMENT NAME	RANGE			
Weight Box	1mg-200g			
S.S Standard	500g,1,2,5kg			
weights	10kg-20kg			
	1mg-220g			
Weighing Balance	25g-5kg			
	Upto-30kg			
PRESSURE				
INSTRUMENT NAME	RANGE			
Pressure Gauges	0 to 20 BAR			
Vacuum Gauge	- 0.95 BAR			
Pressure Gauges	Up to 700 BAR			
Pressure Calibrator	Up to 700 BAR			
Pressure Transmitters	Up to 700 BAR			
Pressure switch	Up to 700 BAR			
Pressure Recorder	0 to 700 BAR			
Magnehelic Gauge, Manometers	-35 to 200 Kpa			